



METRO INFUSION CENTER

Cemiplimab (Libtayo)

Name: _____

DOB: _____

Diagnosis/Code: _____/_____

Weight: _____ kg

- Call for weight change greater than 10 % from baseline
 No dose modifications required for any weight change

BSA: N/A:
Mg/Kg dosing**Laboratory or Other Tests Related to Treatment:**

CMP with each treatment

-
- CBC with each treatment

Other: _____;

Patient should have a TSH; at least every 3 cycles (call if these labs have not been ordered after 3 cycles)

Dosing Guidelines/ Parameters: Provider must select hold parameters that will trigger a call from the RN

- No hold for ANC/Plt
 Hold and call provider for ANC: _____/Platelet: _____
 Hold and call for LFT's 3 x ULN and/or Bilirubin 1.5x ULN
 Hold and call for creatinine 1.5x ULN
 No hold parameters

Hydration Orders: Not RequiredPremedication and Antiemetic Orders: Not Required (minimal emetogenic potential)**Treatment Orders:**

DRUG	DOSE CALCULATION	DOSE	SOLUTION AND VOLUME	ROUTE	RATE	FREQUENCY, DATES TO BE GIVE AND TOTAL DOSES
Cemiplimab (Libtayo)	Flat Dose	350mg	As per pharmacy	IVPB	30 min	Every 3 weeks

Date of first treatment: _____/subsequent treatments may be given +/- 2 days

This order is good for 1 year from the date ordered

Other:

Use inline non-pyrogenic, low protein binding in-line filter (pore size of 0.2-0.5 micron)

Oral cancer treatment patient is taking: _____

Call referring provider for:

- Rash
- Diarrhea of 6/day
- Elevated LFT's or creatinine as outlined above
- Severe SOB; pulse oximeter less than 90%
- Severe fatigue or weight loss
- Neurologic changes
- Allergic reaction- will plan for premeds with subsequent cycles

Other reasons to call:

DATE

Referring

Provider: _____

SIGNATURE REQUIRED

PRINTED NAME REQUIRED

Telephone _____